

areas may be drawn to a scale of one-eighth inch per foot.

(5) Floor plans shall show the location of such features as walls, partitions, posts, doorways, windows, floor drains and channel drains, air systems, ventilation fans, principal pieces of equipment, storage tanks, hose connections for cleaning purposes, hand-washing facilities, lockers, and toilets. The prints shall show slope of floors to drains.

(6) The official plant shall include all processing rooms and other rooms used in the official plant, including but not being limited to the breaking room, equipment washing and sanitizing rooms, shell egg washing rooms, packaging rooms, shell egg and egg products storage rooms (including coolers, freezers, hot rooms), drying rooms, toilet and dressing rooms, storerooms for supplies, and all other rooms, compartments, or passageways where products or any ingredients to be used in the preparation of products under this service will be handled or kept and may include other rooms located in the building comprising the official plant. Except in public warehouses, all rooms, compartments, etc., of the building not to be considered as part of the official plant shall not have direct access into any part of the official plant.

(7) Supplemental information may be shown as notations on the drawings or on supplemental sheets. Supplemental information shall include clarifying information such as sequence of processing edible products, handling of inedible product, shell disposal, handling of packaging material, liquid pumping systems, cleaned-in-place systems, description of pasteurizer, description of drier, type and efficiency of air filtration, hot water facilities, sewage disposal, and such other notations as may be required.

(8) Specification sheets shall include height of ceilings and type construction, type of floors, and wall construction, wall and partition material, and number of employees who will use each toilet room and facilities.

(c) Upon approval of the prints of drawing, supplemental information, and specifications, the application for service may be approved.

(d) Changes and revisions of official plant: When changes are planned in official plant construction, facilities, and equipment covered by previously approved prints, revised prints shall be submitted for review and approval prior to making the changes by: A completely revised sheet(s) showing proposed alterations and additions or an overlay print drawn to same scale as print to be modified or revised. A final survey of the completed alterations and additions shall be made by the supervisory egg products inspector to determine if the changes are in accordance with approved drawings and the regulations.

(e) Final survey and plant approval: Prior to the inauguration of continuous inspection service, a final survey of the plant and premises shall be made by the supervisory egg products inspector to determine if the plant is constructed and facilities are installed in accordance with the approved drawings and these regulations. The plant may be approved only when these requirements have been met.

[36 FR 9814, May 28, 1971; 36 FR 10841, June 4, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981]

§ 590.148 Order of service.

Inspection service shall be performed, insofar as practicable, in the order in which applications therefor are made.

[36 FR 9814, May 28, 1971, as amended at 42 FR 2971, Jan. 14, 1977. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981]

INAUGURATION OF SERVICE

§ 590.150 Official plant numbers.

An official plant number shall be assigned to each plant granted inspection service. Such plant number shall be used to identify all containers of inspected products prepared in the plant which are capable of use as human food. A plant shall not have more than one plant number.

§ 590.155 Inauguration of service.

Prior to the inauguration of service, the proprietor or operator of the plant

shall be knowledgeable of the requirements of these regulations.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 60 FR 49169, Sept. 21, 1995]

DENIAL OF SERVICE

§ 590.160 Refusal, suspension, or withdrawal of service.

(a) The Administrator (for such period, or indefinitely, as he deems necessary to effectuate the purposes of the Act) may refuse to provide or may withdraw inspection service under this part with respect to any plant if he determines after opportunity for a hearing (following the procedures of 7 CFR, part 1, subpart H) is accorded to the applicant for, or recipient of, such service, that such applicant or recipient is unfit to engage in any business requiring inspection under the Act or this part, because the applicant or recipient or anyone responsibly connected with such person has been convicted in any Federal or State court, within the previous 10 years, of (1) any felony or more than one misdemeanor under any law based upon the acquiring, handling, or distributing of adulterated, mislabeled, or deceptively packaged food or fraud in connection with transactions in food or (2) any felony, involving fraud, bribery, extortion, or any other act or circumstances indicating a lack of the integrity needed for the conduct of operations affecting the public health.

(b) For the purpose of this section, a person shall be deemed to be responsibly connected with the business if he is a partner, officer, director, holder, or owner of 10 percentum or more of its voting stock, or employee in a managerial or executive capacity.

(c) The determination and order of the Administrator with respect thereto under this section shall be final and conclusive unless the affected applicant for, or recipient of, inspection service files application for judicial review within 30 days after the effective date of such order in the U.S. Court of Appeals for the circuit in which such applicant or recipient has its principal place of business or in the U.S. Court of Appeals for the District of Columbia Circuit. Judicial review of any such

order shall be upon the record upon which the determination and order are based. The provisions of section 204 of the Packers and Stockyards Act, 1921, as amended (7 U.S.C. 194) shall be applicable to appeals taken under this section. This section shall not affect in any way other provisions of the Act or these regulations for refusal of inspection services.

(d) Any applicant for inspection at a plant where the operations thereof may result in any discharge into the navigable waters in the United States is required by subsection 401(a)(1) (33 U.S.C. 1341) of the Clean Water Act as amended (86 Stat. 816, 91 Stat. 1566; 33 U.S.C. 1251 *et seq.*), to provide the Administrator with a certification, as prescribed in said subsection, that any such discharge will comply with the applicable provisions of sections 301, 302, 303, 306, and 307 of the Act (33 U.S.C. 1311, 1312, 1313, 1316, and 1317). No grant of inspection can be issued unless such certification has been obtained, or is waived, because of failure or refusal of the State, interstate agency, or the Administrator of the Environmental Protection Agency to act on a request for certification within a reasonable period (which shall not exceed 1 year after receipt of such request). Further, upon receipt of an application for inspection and a certification as required by subsection 401(a)(1) of the Clean Water Act, the Administrator (as defined in § 590.5) is required by subparagraph (2) of said subsection to notify the Administrator of the Environmental Protection Agency for proceedings in accordance with that subsection. No grant of inspection can be made until the requirements of 401(a)(1) and (2) have been met.

(e) Inspection may be suspended or revoked and plant approval terminated as provided in subsection 401(a)(4) and (5) of the Clean Water Act, as amended (33 U.S.C. 1341(a)(4) and (5)).

(f) Suspension of plant approval and withdrawal of service:

(1) Any plant approval given pursuant to these regulations may be suspended by the Administrator for (i) failure to maintain premises, facilities, and equipment in a satisfactory state of repair; (ii) the use of operating procedures or practices which are not in